Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3823	709/217.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:21
L3	3010	709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:21
L4	1965	709/226.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:21
L5	7365	358/1.15.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:21
L6	15549	2345	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:22
L7	2	6 and (imaging adj service adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:23
L8	2	6 and ((imaging adj data) same criterion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:30
L9	17	6 and (imaging adj extension)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:33

L10	1	6 and (hard-copy adj generation adj service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:33
S1	13	"035619"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:44
S2	2	intelligent near routing near task\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:59
S3	1613	709/226.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:59
S4	1236	S3 and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:44
S5	3988	intelligent with rout\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:01
S6	924	intelligent near rout\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:06
<b>S7</b>	366	S6 and task	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:27

S8	218	S7 and @ad<"20011228"	US-PGPUB; USPAT;	OR	OFF	2005/03/15 15:02
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
S9	0	(intelligent near rout\$5 near task\$2) and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:07
S10	3	(intelligent near rout\$5 near task\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:10
S11	18	accessing near imaging near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:14
S12	31	access near imaging near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:21
S13	109923	(acquire access\$4) near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:22
S14	136	(acquire access\$4) near imaging near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:22
S15	83	S14 and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:31

					055	B005/00/46 45 65
S16	2430	709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:00
S17	0	route near print near tasks	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:31
S18	248	route near print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:32
S19	80	route near print with (job\$2 task\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:32
S20	49	S19 and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:32
S21	6	network near print\$4 near choice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 08:35
S22	6	network near print\$4 near option	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 08:38
S23	132	network near print\$4 near select\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 08:38

S24	85	S23 and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 08:50
S25	50	("5542487" "5425090" "5448617" "5805688" "5943405" "6301350" "6173072" "5953332" "6011792" "5629974" "5708702" "5940497" "5946387" "5970065" "6064667" "6072864" "6175563" "4970721" "5260987" "5519772" "5533115" "5537610" "5566235" "5572579" "5572583" "5586177" "5754546" "5754641" "5757894" "5761290" "5802278" "5835583" "5845211" "5864614" "5915008" "5923659" "6044274" "6078648" "6181695" "6185289" "6229887" "4517412" "4827411" "4918689" "5181238" "5247571" "5353331" "5377186" "5386467" "5392402").pn.	USPAT	OR	OFF	2005/03/16 09:17
S26	50	("5418844" "5420914" "5422941" "5423003" "5436957" "5446874" "5457736" "5467390" "5469496" "5504804" "5506887" "5524145" "5524146" "5526413" "5539884" "5541917" "5557652" "5579379" "5583914" "5592541" "5592533" "5594789" "5600710" "5602991" "5610972" "5610969" "5610910" "5617422" "5633924" "5659605" "5661791" "5664005" "5680446" "5712903" "5727058" "5729599" "5748717" "5758281" "5784437" "5793839" "5793762" "5802145" "5806000" "5805997" "5808767" "5818725" "5828666").pn.	USPAT	OR	OFF	2005/03/16 09:26
S27	964	rout\$4 with print\$4 with (task\$2 job\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 10:55
S28	667	(rout\$4 with print\$4 with (task\$2 job\$2)) and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 10:56

S29	1632	(rout\$4 same print\$4 same (task\$2 job\$2)) and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 10:56
S30	115	(rout\$4 near print\$4 near (task\$2 job\$2)) and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 10:58
S31	0	((rout\$4 near print\$4 near (task\$2 job\$2)) and @ad<"20011228").ab. ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 10:58
S32	0	((rout\$4 with print\$4 with (task\$2 job\$2)) and @ad<"20011228").ab. ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 10:59
S33	99	rout\$4 with print\$4 with (task\$2 job\$2).ab.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 10:59
S34	74	S33 and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 10:59
S35	29	rout\$4 near print\$4 near (task\$2 job\$2).ab.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 11:00
S36	18	S35 and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 11:00

S37	12	"6327045"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 12:04
S38	1613	709/226.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:44
S39	1236	S38 and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:44
S40	115	S39 and print	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:45
S41	7	S39 and print.ab.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:48
S42	22	S39 and print\$5.ab.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:48
S43	2430	709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:00
S44	1826	S43 and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF <sup>-</sup>	2005/03/16 15:01

S45	8	S44 and print\$5.ti.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:23
S46	2430	709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:23
S47	1826	S46 and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:23
S48	41	S47 and rout\$5.ti.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:24
549	3123	print\$4 near rout\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:43
S50	227	S49 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:43
S51	162	S50 and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:46
S52	0	S50 and @ad<"20011228".ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:44

S53	407	S49.ab.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:44
S54	4	S53 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:44
S55	4	print with routing with network.ti. ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 08:51
S56	6	print with routing with network.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 08:52
S57	435	print\$4 with routing.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 08:52
S58	156	print\$4 with routing.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 08:52
S59	156	(print\$4 with routing).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 09:02
S60	114	S59 and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 09:02

Page 9

S61	609	(print\$4 with rout\$4).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 09:02
S62	465	S61 and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 09:03
S63	23	S62 and network.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:42
S64	6304	358/1.15.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:43
S65	4971	S64 and @ad<"20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:45
S66	358	S65 and (print near server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:46
S67	6	S65 and (print near server).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:50
S68	0	S65 and (print near server near routing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:50

	1		1		Γ	
S69	3	S65 and (print near server near rout\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 10:51
S70	35	"140480"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:05
S71	186	print near dialog near box	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:44
S72	2	"20030126261"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 15:17
S73	296	(recommend suggest advise) near5 (printer plotter (output near device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 15:40
S74	202	S73 and @ad<="20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 15:40
S75	110	S74 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 15:40
S76	3	("5768516"   "5991846"   "6476927").PN. OR ("6762852"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/01 16:07
S77	6793	358/1.15.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 16:21

S78	5123	S77 and @ad<="20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 16:21
S79	244	S78 and (recommend\$3 recommendati\$3 suggest\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 16:27
S80	20	"746917"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 16:28
S81	2	"20020116291"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 16:29
S82	2	"6757071"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 16:29
S83	121	recommend same (printer (output near device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/02 09:17
S84	219	(suggest recommend) same (printer (output near device)) same user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/02 09:18
S85	3	((suggest recommend) same (printer (output near device))) near user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/02 11:06

S86	3	retrieve near5 data same ((recommend suggest) near5 (printer (output adj device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/02 11:08
S87	16	retrieve near5 data and ((recommend suggest) near5 (printer (output adj device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/02 11:08
S88	1	printer adj recommendation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:27
S89	21	printer near3 recommendation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:27
S90	10	(US-20030093525-\$ or US-20020116291-\$).did. or (US-6762852-\$ or US-6757071-\$ or US-6498656-\$ or US-6337745-\$ or US-6020973-\$ or US-5991846-\$ or US-5768516-\$).did. or (US-6529286-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/11/18 08:10
S91	913	(printer copier (hard adj copy adj output adj device)) same (recommend recommendation suggest suggestion recommending suggesting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 11:10
S92	112	(printer copier (hard adj copy adj output adj device)) near3 (recommend recommendation suggest suggestion recommending suggesting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 11:10
S93	8	(printer copier (hard adj copy adj output adj device)) adj (recommend recommendation suggest suggestion recommending suggesting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 12:57

Page 13

		LAST Scarc	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,		
S94	0	printer adj selection adj based adj2 (content criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 12:57
S95	0	printer near selection near based near (content criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 12:58
S96	4	printer near4 selection near4 based near4 (content criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 14:18
S97	19	(printer near4 selection) same (image adj (size color))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 14:18
S98	5	("5625757" "6795829" "5580177" "6184996" "5303336").pn.	USPAT	OR	OFF	2005/11/21 07:37
S99	4421	printer near5 selection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:41
S10 0	760	printer adj selection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:41
S10 1	252	S100 same user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:42
S10 2	139	S101 and @ad<="20011228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:42

			T			
S10 3	27	S100 same (criteria criterion parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 09:42
S10 4	1	automated adj printed adj selection	IBM_TDB	OR	OFF	2006/02/24 08:46
S10 5	226	"5220674"	USPAT	OR	OFF	2006/02/24 10:08
S10 6	4	("5220674" "5467434" "5580177" "5978557").pn.	USPAT	OR	OFF	2006/02/24 10:08
S10 7	291	printer adj selector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 10:15
S10 8	144	S107 and (@ad<="20011228" @rlad<="20011228")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 10:16
S10 9	7361	358/1.15.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 11:20
S11 0	1727	358/1.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 11:20
S11 1	0	adaptive adj print adj selection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 13:22
S11 2	0	adaptive near print near selection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 13:22

		··				
S11 3	4	adaptive near4 print near4 selection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 13:22
S11 4	5	("5625757" "6795829" "5580177" "6184996" "5303336").pn.	USPAT	OR	OFF	2006/02/24 13:28
S11 5	0	"20020198989"	USPAT	OR	OFF	2006/02/24 13:28
S11 6	1	"20020198989"	US-PGPUB; USPAT	OR	OFF	2006/02/24 13:37
S11 7	0	recommend near5 printer near5 color near5 criteria	US-PGPUB; USPAT	OR	OFF	2006/02/24 13:37
S11 8	0	recommend same printer same color same criteria	US-PGPUB; USPAT	OR	OFF	2006/02/24 13:38
S11 9	0	(recommend suggest advise) same (printer) same (color adj (criteria criterion parameter))	US-PGPUB; USPAT	OR	OFF	2006/02/24 13:39
S12 0	0	(recommend suggest advise) same (printer) same (color adj (criteria criterion parameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 13:39
S12 1	0	(recommend suggest advise) same (printer) same (color near5 (criteria criterion parameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 13:39
S12 2	18	(recommend suggest advise) same (color near5 (criteria criterion parameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/24 13:39